

2016 NC On-Farm Trials (12 Trials Statewide)

Variety	Combined AVG Yield	% #1	% Top 2	% Top 3	% of trials in highest group (p<0.1)
DP 1646 B2XF	1017	42	58	83	100
NG 3522 B2XF	938	8	33	50	50
DP 1614 B2XF	933	0	25	33	67
PHY 312 WRF	922	17	25	33	58
ST 4848 GLT	917	17	17	42	50
DG 3526 B2XF	901	8	8	25	50
PHY 444 WRF	881	0	8	8	33
DG 3757 B2XF	861	8	17	17	42
NG 3405 B2XF	860	0	0	0	42
ST 6182 GLT	850	0	8	8	42

2016 NC On-Farm Trials (11 Trials – Eastern NC only)

Variety	Combined AVG Yield	% #1	% Top 2	% Top 3	% of trials in highest group (p<0.1)
DP 1646 B2XF	910	36	55	82	100
NG 3522 B2XF	846	8	36	55	55
PHY 312 WRF	838	17	27	36	64
DP 1614 B2XF	828	0	18	27	64
ST 4848 GLT	822	17	18	45	55
DG 3526 B2XF	798	8	9	18	55
PHY 444 WRF	783	0	9	9	36
NG 3405 B2XF	774	0	0	0	45
DG 3757 B2XF	764	8	18	18	45
ST 6182 GLT	743	0	9	9	45

2016 NC On-Farm Trials (12 Trials, 8 Varieties – Eastern NC only)

Variety	Combined AVG Yield	% #1	% Top 2	% Top 3	% of trials in highest group (p<0.1)
DP 1646 B2XF	881	33	67	83	100
NG 3522 B2XF	826	8	42	67	58
PHY 312 WRF	820	25	33	42	67
ST 4848 GLT	801	17	25	50	58
DG 3526 B2XF	777	8	8	33	58
PHY 444 WRF	759	0	8	8	58
NG 3405 B2XF	754	0	0	0	58
DG 3757 B2XF	742	8	17	17	58