

# 2023 NC On-Farm Trials (Fiber Quality, All Techs)

Variety	Lint %	MIC	% HIGH		LEN	STR	UI	Color	LEAF	Trash
			MIC							
<b>DP 2333 B3XF</b>	43.7	5.0	55		1.14	30.9	83.1	31-2	3	0.4
<b>ST 5091 B3XF</b>	43.4	4.6	27		1.13	30.0	82.2	31-2	3	0.5
<b>ST 4595 B3XF</b>	43.2	4.8	36		1.17	32.2	83.7	31-2	4	0.6
<b>DP 2127 B3XF</b>	41.9	5.0	45		1.13	31.5	83.6	31-2	3	0.4
<b>NG 3195 B3XF</b>	41.8	4.8	36		1.15	31.5	83.5	31-2	3	0.4
<b>DG 3519 B3XF</b>	41.3	4.6	0		1.20	34.8	84.3	41-2	5	0.8
<b>DG 3528 B3XF</b>	41.2	4.6	27		1.18	31.8	83.0	41-1	4	0.5
<b>PHY 415 W3FE</b>	41.1	4.5	27		1.18	35.0	83.8	41-2	4	0.8
<b>NG 4190 B3XF</b>	40.9	4.6	45		1.17	32.3	84.1	41-1	4	0.5
<b>PHY 443 W3FE</b>	40.7	4.7	27		1.13	34.2	84.1	31-2	3	0.4

# 2023 NC On-Farm Trials (Fiber Quality, XtendFlex)

Variety	Lint %	MIC	% HIGH		LEN	STR	UI	Color	LEAF	Trash
			MIC							
<b>AR 9371 B3XF</b>	43.8	4.5	0		1.15	31.3	83.6	31-1	3	0.5
<b>DP 2333 B3XF</b>	43.3	4.9	50		1.13	30.1	82.9	41-1	3	0.3
<b>ST 4595 B3XF</b>	43.2	4.5	0		1.19	32.0	83.6	41-2	5	0.7
<b>DP 2127 B3XF</b>	42.9	4.9	50		1.15	30.6	83.9	41-1	3	0.4
<b>NG 3195 B3XF</b>	42.5	4.6	25		1.15	31.6	82.8	31-1	3	0.4
<b>ST 5091 B3XF</b>	42.4	4.4	25		1.16	30.7	82.1	31-2	3	0.4
<b>DG 3519 B3XF</b>	42.2	4.7	25		1.19	32.5	84.1	41-1	4	0.5
<b>NG 4190 B3XF</b>	41.9	4.6	25		1.17	31.5	84.2	31-2	3	0.4
<b>AR 9831 B3XF</b>	41.7	4.9	50		1.15	32.6	83.3	41-1	3	0.4
<b>DG 3528 B3XF</b>	41.2	4.2	0		1.21	30.5	83.9	41-1	4	0.5